NOVELLINI

KUADRA 2P


2 PART SLIDER


SHOWER DOOR, 1 SLIDING DOOR + 1 FIXED PANEL, FOR RECESS INSTALLATION OR COMBINED WITH A KUADRA F SIDE PANEL

	Dim	Code	Hand					
Size	Actual dimensions	Fixed panel	Access					
	Α	F1	*					
STANDARD								
100	96 ↔ 102	45	36	714735	Left			
100	96 ↔ 102	45	36	714734	Right			
120	114 ↔ 120	54	45	714707	Left			
120	114 ↔ 120	54	45	714706	Right			
150	144 ↔ 150	69	60	714719	Left			
150	144 ↔ 150	69	60	714718	Right			
OTHER SIZES								
\$	138 ↔ 144	66	57	714716	Left			
\$	138 ↔ 144	66	57	714714	Right			
\$	168 ↔ 174	81	72	714730	Left			
\$	168 ↔ 174	81	72	714729	Right			












SIDE PANEL

D Right

	Code				
Size	Actual dimensions	Access	Projection		
	Α	*	В	B1	
76	73 ↔ 75	\$	\$	\$	289911
\$	75 ↔ 77	\$	\$	\$	289912
\$	85 ↔ 87	\$	\$	\$	678051
90	87 ↔ 89	\$	\$	\$	872121











BATHROOM

TECHNICAL DATA

GLASS TYPES (European standards UNI EN 14428)



Clear COD. 1

PROFILE COLOURS



COD. K

HANDLES



Chromed metal handle Interaxis 256 mm

ALUMINIUM

Zero-emission integrated production cycle, 100% environmentally friendly. Limescale proof, resistant to bacterial action, durable and ecological brightness





GLASS

We have always focused on safety in the use of our products and in particular in the production and utilisation of safety glasses that are able to avoid or minimise the risk of accidents due to impact, fragmentation, breakage or fire. Our production cycle is subject to strict periodical checks by the certifying bodies. It is for this reason that we can confirm that the glass used for all of our products complies with UNI EN14428:2015 with reference to EN12150-1:2015 and ISO7892 standard.



Glass from 4 to 8 mm produced internally. Always shiny, easy to clean, given its non-drip system which slows down the formation of limescale and bacteria.



COMPONENTS

All of our products are designed and created with quality, safety, innovation and respect for the environment in mind. Production processes with a low environmental impact, control of toxic substance emissions and energy savings are fundamental driver.


The PVD chrome plating is the "green" alternative to the technologies based on traditional galvanic process. No carcinogenic chemical agents or mutagens such as Cr6+ and CR3+, solvents and waste liquids are used. PVD metallisation is ecological also thanks to the low energy consumption and the reduced production of special



HOW TO TAKE THE MEASUREMENTS

100% CR6 + free

PVD Metallisation



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.