Version: 4.0 Date: 20 May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)

& 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Salt

Substance name Sodium chloride

Alternative names Vacuum salt, Compacted salt, Halite

Chemical Formula NaCl

Trade names Not applicable CAS No. 7647-14-5 EINECS No. 231-598-3 REACH Registration No. Not applicable

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Chemical manufacture, food industry, animal feed industry, water

Uses advised against treatment None

1.3 Details of the supplier of the safety data sheet

Company Identification BWT UK Limited

BWT House,The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU

Telephone +44 (0)1606 839250
E-mail (competent person) reach@tatachemicals.com
Website https://www.bwt.com

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1606 839 241 24 hours

Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP)Not classified as hazardous for supply/use.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Salt

Substance name Sodium chloride CAS No. 7647-14-5 EINECS No. 231-598-3

Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

Supplemental information

None assigned.

None assigned.

None assigned.

2.3 Other hazards High concentrations of dust may be irritant to the respiratory tract.

BWT UK Limited

BWT House,The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU Tel: +44 (0) 1494 838100 Fax:+44 (0) 1494 838101 E-Mail: enquiries@bwt-uk.co.uk www.bwt.com

Version: 4.0 Date: 20 May 2021



& 2015/830



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

SUBSTANCE	CAS No.	EC No.	REACH Registration No.	%W/W
Sodium chloride	7647-14-5	231-598-3	Not yet assigned in the supply chain	> 99.9

Hazardous impurities

No other components or impurities which will influence the classification of the product

Contains:

Part per million (ppm) levels of a non-toxic anti-caking additive, Sodium hexacyanoferrate (II) - E535

Part per million (ppm) levels of iodine as a nutritional supplement, potassium iodate - supplied according to customer specification

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Self-protection of the first aider

No action should be taken involving personal risk. Use personal protective

equipment as required. Ensure adequate ventilation. Avoid inhalation of dusts.

Avoid contact with skin and eyes.

Inhalation IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in

a position comfortable for breathing.

Skin contact IF ON SKIN: Gently wash with plenty of soap and water. If irritation develops and

persists, get medical attention.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion IF SWALLOWED: Rinse mouth. Wash out mouth with water and give 200-300 ml

(half a pint) of water to drink. Do NOT induce vomiting. If you feel unwell, seek

medical advice (show the label where possible). None anticipated.

4.2 Most important symptoms and effects, both acute

and delayed

4.3 Indication of any immediate medical attention and Unlikely to be required but if necessary treat symptomatically.

special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

5.2 Special hazards arising from the substance or

mixture

5.3 Advice for firefighters

As appropriate for surrounding fire.

Do not use water jet. Direct water jet may spread the fire.

Not flammable. Combustion products: Sodium/Sodium Oxide, Hydrogen chloride

gas.

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid

BWT UK Limited

BWT House,The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU Tel: +44 (0) 1494 838100 Fax:+44 (0) 1494 838101 E-Mail: enquiries@bwt-uk.co.uk www.bwt.com

Version: 4.0 Date: 20 May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)

& 2015/830

6.2

6.4

7.3

breathing dust. Remove contaminated clothing and wash all affected areas with

plenty of water. Avoid dust generation.

Avoid release to the environment.

Environmental precautions 6.3 Methods and material for containment and cleaning

Damp down to avoid dust generation. Use vacuum cleaner to collect spilt material. Recover the product where possible. Ventilate the area and wash spill site after

material pick-up is complete. Transfer to a container for disposal or recovery.

See Section: 8,13

SECTION 7: HANDLING AND STORAGE

Storage temperature

Specific end use(s)

Incompatible materials

Reference to other sections

7.1 Precautions for safe handling Ensure adequate ventilation. Use personal protective equipment as required.

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Remove contaminated

clothing and wash clothing before reuse. Avoid dust generation.

72 Conditions for safe storage, including any Keep container tightly closed. Store in a cool/low-temperature, well-ventilated incompatibilities

(dry) place away from heat and ignition sources. Control dust formation.

Keep in a cool, well ventilated place.

Keep away from: Strong oxidising agents.

See Section: 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m3 (8hr

TWA) total inhalable dust; 4 mg/m³ (8hr TWA) total respirable dust.

8.1.2 **Biological limit value** Not established

8.1.3 **PNECs and DNELs** Not applicable

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Ensure adequate ventilation. Store in a cool/low-temperature, well-ventilated (dry)

place away from heat and ignition sources. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Ground and bond

container and receiving equipment.

Individual protection measures, such as personal 822

protective equipment

Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink or

smoke at the work place. Avoid breathing dust.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/ face protection



Wear eye protection with side protection (EN166). Eyewash bottles should be available.

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Protective index 6, corresponding > 480 minutes of permeation time according to EN 374.

Body protection: Wear dust-resistant protective clothing.

BWT UK Limited

BWT House, The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU Tel: +44 (0) 1494 838100 Fax:+44 (0) 1494 838101 E-Mail: enquiries@bwt-uk.co.uk www.bwt.com

Version: 4.0 Date: 20 May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)

& 2015/830

Respiratory protection



Not normally required. Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. In case of inadequate ventilation wear respiratory protection. Recommended: EN143 Type A-P2.

Not applicable. Thermal hazards

8.2.3 **Environmental exposure controls** Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> Appearance White / colourless crystalline solid

Odour Odourless Odour threshold Not applicable

рΗ 10.0 approx. (10% solution)

Melting point/freezing point 802°C 1413°C Initial boiling point and boiling range Flash point Non-flammable No data Evaporation rate Flammability (solid, gas) Non-flammable Non-flammable Upper/lower flammability or explosive limits

Vapour pressure 2.4mm Hg @ 747°C Vapour density Not applicable

Relative density Up to 2.165 g cm-3 @20°C

Solubility(ies) In water 35.9 g/100g @ 0°C; 39.2 g/100g @ 100°C

Partition coefficient: n-octanol/water Not applicable Non-flammable Auto-ignition temperature Decomposition temperature No data available Viscosity Not applicable (solid) Explosive properties Not applicable Oxidising properties Not applicable

9.2 Other information None known

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. Reacts with - Strong sulphuric acid or Nitric acid.

10.2 Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 10.3 None anticipated. Reacts with - Strong sulphuric acid or Nitric acid.

Conditions to avoid 10.4 Avoid contact with heat and ignition sources. Keep away from moisture. Avoid

contact with: Strong sulphuric acid or Nitric acid (Formation of: Hydrogen chloride

gas)

10.5 Incompatible materials Keep away from: Strong oxidising agents.

(Wet conditions) Corrosive to: Common metals, Iron, Aluminium and zinc

10.6 Hazardous decomposition products Sodium/Sodium Oxide.

Possible trace amounts of: Hydrogen chloride gas at temperatures in excess of

800°C.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Based upon the available data, the classification criteria are not met.

Acute Toxicity - Ingestion Oral LD50, rat 3000 mg/kg

Based upon the available data, the classification criteria are not met. **Acute Toxicity - Inhalation** Based upon the available data, the classification criteria are not met. **Acute Toxicity - Skin contact**

BWT UK Limited

BWT House, The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU Tel: +44 (0) 1494 838100 Fax:+44 (0) 1494 838101 E-Mail: enquiries@bwt-uk.co.uk www.bwt.com

Version: 4.0 Date: 20 May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)

& 2015/830

Skin corrosion/irritation
Serious eye damage/irritation
Respiratory or skin sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

11.2 Other information

May cause vomiting and diarrhoea. The swallowing of small amounts is unlikely to have any adverse effects. Salt is an essential constituent of the diet and provides important body electrolytes and is the source of hydrochloric acid present in gastric juices. The blood stream contains nearly 1% sodium chloride. Repeated ingestion of excessive amounts may cause disturbance of body electrolyte and fluid balance.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity		Based upon the available data, the classification criteria are not met.		
		Estimated LC50 (Substance): >100 mg/l.		
12.2	Persistence and degradability	Not applicable for inorganic substances.		
12.3	Bioaccumulative potential	Not applicable for inorganic substances.		
12.4	Mobility in soil	Not applicable for inorganic substances.		
12.5 Results of PBT and vPvB assessment According to Annex XIII of the REAC		According to Annex XIII of the REACH Regulation 1907/2006/EC inorganic		
		substances do not need to be subjected to a PBT assessment.		
12.6	Other adverse effects	None known.		

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of contents in accordance with local, state or national legislation. Do not
		allow to enter drains, sewers or watercourses. Recycle packaging.
13.2	Additional information	Avoid release to the environment. Dispose of empty containers and wastes safely.

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

		ADR/RID	IMDG	IATA/ICAO
14.1	UN number	None assigned.	None assigned.	None assigned.
14.2	UN proper shipping name	None assigned.	None assigned.	None assigned.
14.3	Transport hazard class(es)	None assigned.	None assigned.	None assigned.
14.4	Packing group	None assigned.	None assigned.	None assigned.
14.5	Environmental hazards	Not classified	Not classified as a Marine Pollutant.	Not classified
14.6	Special precautions for user	See Section: 2		
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code	No information available.	No information available.	No information available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Not restricted

15.1.2 National regulations

BWT UK Limited

BWT House, The Gateway Centre, Coronation Road, High Wycombe, Buckinghamshire, HP12 3SU Tel: +44 (0) 1494 838100 Fax:+44 (0) 1494 838101 E-Mail: enquiries@bwt-uk.co.uk www.bwt.com

Version: 4.0 Date: 20 May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Germany Water hazard class (WGK): 1

TSCA Inventory Listed

15.2 Chemical Safety Assessment A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated version and date. New format has been issued, all sections have been updated to include new information. Review SDS with care.

References:

Existing Safety Data Sheet (SDS),

Existing ECHA registration for Sodium chloride (CAS No. 7647-14-5).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Legend

ADR ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL Derived no effect level EU European Union

IATA IATA: International Air Transport Association
ICAO ICAO: International Civil Aviation Organization
IMDG IMDG: International Maritime Dangerous Goods

LC50 Lethal concentration at which 50% of the population is killed LD50 Lethal dose at which 50% of the population is killed

LTEL Long term exposure limit

PBT PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID RID: Regulations concerning the international railway transport of dangerous goods

STEL Short term exposure limit

vPvB vPvB: very Persistent and very Bioaccumulative

WGK Wassergefährdungsklasse (Germany) / Water hazard class

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tata Chemicals Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tata Chemicals Europe accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure Scenarios are not applicable