


Geberit Mapress Copper T-piece, reduced



Example image

APPLICATION PURPOSES

- For cold and hot potable water
- For cooling and heating water without antifreeze agent
- For cooling and heating water with antifreeze agent
- For district heating water ≤ 120 °C
- For service water and process water
- For compressed air (oil purity class 0-3)
- For negative pressure

- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)
- For technical building systems, industry and shipbuilding

- Seal ring made of EPDM, black, from $\varnothing > 54$ mm
- Pressing socket with transparent protection plug

CHARACTERISTICS

- Pressing indicator
- Leaky if unpressed up to $\varnothing \leq 54$ mm
- Seal ring made of CIIR, black, up to $\varnothing \leq 54$ mm

TECHNICAL DATA

Product material	Cu-DHP copper CW024A (EN 1412)
------------------	--------------------------------

Art. no.	DN	d, \varnothing mm	d1, \varnothing mm	d2, \varnothing mm	arc °	L cm	L1 cm	I cm	I2 cm	Z cm	Z1 cm	Z2 cm
61243	12 / 10	15	12	12	90	6.7	3.3	3.2	3.5	2	1.6	1.7
61252	12 / 10	15	12	15	90	6.4	3.3	3.2	3.2	1.2	1.6	1.2
61104	12 / 20	15	22	15	90	7.4	3.4	3.7	3.7	1.7	1.3	1.7
61253	15 / 10	18	12	18	90	6.8	3.5	3.4	3.4	1.4	1.8	1.4

<i>Art. no.</i>	<i>DN</i>	<i>d₁ ø</i> <i>mm</i>	<i>d₁ ø</i> <i>mm</i>	<i>d₂ ø</i> <i>mm</i>	<i>arc</i> <i>°</i>	<i>L</i> <i>cm</i>	<i>L1</i> <i>cm</i>	<i>l</i> <i>cm</i>	<i>l2</i> <i>cm</i>	<i>Z</i> <i>cm</i>	<i>Z1</i> <i>cm</i>	<i>Z2</i> <i>cm</i>
61235	15 / 12	18	15	15	90	7.4	3.5	3.4	4	1.4	1.5	2
61254	15 / 12	18	15	18	90	6.8	3.5	3.4	3.4	1.4	1.5	1.4
61236	15 / 12	18	18	15	90	7.4	3.4	3.4	4	1.4	1.4	2
61244	20 / 10	22	12	22	90	7.4	3.5	3.7	3.7	2.1	1.7	2.1
61240	20 / 12	22	15	15	90	8	3.8	3.7	4.3	1.6	1.8	2.3
61256	20 / 12	22	15	22	90	7.4	3.8	3.7	3.7	1.6	1.8	1.6
61257	20 / 15	22	18	22	90	7.4	3.8	3.7	3.7	1.6	1.8	1.6
61242	20 / 12	22	22	15	90	7.4	3.7	3.7	4.5	1.6	1.6	2.5
61259	25 / 12	28	15	28	90	8.4	4.1	4.2	4.2	1.9	2.1	1.9
61260	25 / 15	28	18	28	90	8.4	4.1	4.2	4.2	1.9	2.1	1.9
61261	25 / 20	28	22	28	90	8.4	4.1	4.2	4.2	1.9	2	1.9
61212	32 / 12	35	15	35	90	10	5.1	5	5	2.4	3.1	2.4
61213	32 / 15	35	18	35	90	10	5	5	5	2.4	3	2.4

<i>Art. no.</i>	<i>DN</i>	<i>d₁ ø</i> <i>mm</i>	<i>d₁ ø</i> <i>mm</i>	<i>d₂ ø</i> <i>mm</i>	<i>arc</i> <i>°</i>	<i>L</i> <i>cm</i>	<i>L1</i> <i>cm</i>	<i>l</i> <i>cm</i>	<i>l2</i> <i>cm</i>	<i>Z</i> <i>cm</i>	<i>Z1</i> <i>cm</i>	<i>Z2</i> <i>cm</i>
61214	32 / 20	35	22	35	90	10	5.2	5	5	2.4	3.1	2.4
61215	32 / 25	35	28	35	90	10	5.5	5	5	2.4	3.2	2.4
61229	40 / 12	42	15	42	90	11.4	5.4	5.7	5.7	2.7	3.4	2.7
61217	40 / 15	42	18	42	90	11.4	5.4	5.7	5.7	2.7	3.4	2.7
61218	40 / 20	42	22	42	90	11.4	5.5	5.7	5.7	2.7	3.4	2.7
61219	40 / 25	42	28	42	90	11.4	5.8	5.7	5.7	2.7	3.5	2.7
61220	40 / 32	42	35	42	90	11.4	6.2	5.7	5.7	2.7	3.6	2.7
61227	50 / 20	54	22	54	90	13.8	6.1	6.9	6.9	3.4	4	3.4
61228	50 / 25	54	28	54	90	13.8	6.4	6.9	6.9	3.4	4.1	3.4
61225	50 / 32	54	35	54	90	13.8	6.8	6.9	6.9	3.4	4.2	3.4
61226	50 / 40	54	42	54	90	13.8	7.2	6.9	6.9	3.4	4.2	3.4
61280	65 / 20	66.7	22	66.7	90	22	6.5	11	11	6	4.4	6
61281	65 / 25	66.7	28	66.7	90	22	6.8	11	11	6	4.5	6

<i>Art. no.</i>	<i>DN</i>	<i>d, ø</i> <i>mm</i>	<i>d1, ø</i> <i>mm</i>	<i>d2, ø</i> <i>mm</i>	<i>arc</i> <i>°</i>	<i>L</i> <i>cm</i>	<i>L1</i> <i>cm</i>	<i>l</i> <i>cm</i>	<i>l2</i> <i>cm</i>	<i>Z</i> <i>cm</i>	<i>Z1</i> <i>cm</i>	<i>Z2</i> <i>cm</i>
61282	65 / 50	66.7	54	66.7	90	22	8.2	11	11	6	4.7	6
61283	65 / 20	76.1	22	76.1	90	23	7.2	11.5	11.5	6.2	5.1	6.2
61284	65 / 32	76.1	35	76.1	90	23	7.9	11.5	11.5	6.2	5.3	6.2
61285	65 / 40	76.1	42	76.1	90	23	8.3	11.5	11.5	6.2	5.3	6.2
61286	65 / 50	76.1	54	76.1	90	23	8.9	11.5	11.5	6.2	5.4	6.2
61287	65	76.1	66.7	76.1	90	23	11	11.5	11.5	6.2	6	6.2
61288	80 / 20	88.9	22	88.9	90	26	7.8	13	13	7	5.7	7
61289	80 / 40	88.9	42	88.9	90	26	8.9	13	13	7	5.9	7
61290	80 / 50	88.9	54	88.9	90	26	9.5	13	13	7	6	7
61292	80 / 65	88.9	76.1	88.9	90	26	11.6	13	13	7	6.3	7
61293	100 / 20	108	22	108	90	31	8.8	15.5	15.5	8	6.7	8
61294	100 / 50	108	54	108	90	31	10.5	15.5	15.5	8	7	8
61295	100 / 65	108	66.7	108	90	31	12.6	15.5	15.5	8	7.6	8

<i>Art. no.</i>	<i>DN</i>	<i>d, ø</i> <i>mm</i>	<i>d1, ø</i> <i>mm</i>	<i>d2, ø</i> <i>mm</i>	<i>arc</i> <i>°</i>	<i>L</i> <i>cm</i>	<i>L1</i> <i>cm</i>	<i>l</i> <i>cm</i>	<i>l2</i> <i>cm</i>	<i>Z</i> <i>cm</i>	<i>Z1</i> <i>cm</i>	<i>Z2</i> <i>cm</i>
61296	100 / 65	108	76.1	108	90	31	12.6	15.5	15.5	8	7.3	8
61297	100 / 80	108	88.9	108	90	31	13.7	15.5	15.5	8	7.7	8